

SPECIFICATION SHEET

JOB NAME: _____
 LOCATION: _____
 QUOTE/REF#: _____



The **ALP-50K** is an Architectural-grade LED extrusion designed for surface mount applications and can fit linear LED strips up to **10mm (0.40")** wide. Made from high quality aluminum and manufactured with a patented frosted diffuser for maximum lumen output and wider beam distribution.

FEATURES


- Customizable
- Durable, anodized aluminum
- Protects LED systems from dust and other elements
- Slim, low profile design
- Dissipates heat from LED, prolonging its lifetime

SPECIFICATIONS

TYPE	Surface mount
AVAILABLE LENGTHS	49" & 98"
FINISH	Anodized aluminum
LENS OPTIONS	Frosted
CHANNEL	ALP-50K
LENS	ALP-50K-LN (frosted)
END CAP	ALP-50K-EC
MOUNTING CLIPS	ALP-50K-CL

Compatible with LED strips up to **10mm (0.40")** wide.
 LED tape light sold separately.
 Frosted Lens diffuser included.
 2 end caps included with every profile.
 2 mounting clips included with every profile.
 Custom color finishes available (powder-coating).

DIMENSIONS



ORDERING CODE

Model	Length	Lens	Light Engine	Finish
ALP-50K	49 - 49" 98 - 98"	FR - Frosted	See P. 3	SI - Silver CU Custom (powder-coat)




ALP-50K Surface Mount Profile

ALP-50K-98-LN | Plastic Lens

TYPE FR (frosted)


LENGTHS 49" & 98"



ALP-50K-98 | Aluminum Channel


MOUNTING Surface

LENGTHS 49" & 98"




ALP-50K-98-EC | End Cap

*2 end caps included with every profile



ALP-50K-98-CL | Metal Mounting Clips

*2 mounting clips included with every profile



COMPATIBLE LED STRIPS

Indoor

LSM-15

1.5W/Ft., 120 Lumens

LSM-25

2.2W/Ft., 185 Lumens

LSM-30

3.0W/Ft., 250 Lumens

LSM-35WD

3.6W/Ft., Auto Warm Dim

LSM-40HF

4.0W/Ft., 440 Lumens

LSM-45

4.4W/Ft., 370 Lumens

LSP-50

4.4W/Ft., 380 Lumens

LSM-55

5.5W/Ft., 500+ Lumens

LSM-55MX

5.5W/Ft., 500+ Lumens

Outdoor

LSMW-15

1.5W/FT, 120 Lumens

LSMW-25

2.2W/FT, 185 Lumens

LSMW-30

3.0W/FT, 250 Lumens

Indoor Color-changing

LSP-20-RGB

2.2W/FT

LSP-50-RGB

4.4W/FT

LSP-58X-RGB

5.8W/FT